

Refine Search

Search Results -

Terms	Documents
5724556.pn.	1

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Friday, February 17, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name result set</u>
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L29</u>	5724556.pn.	1	<u>L29</u>
<u>L28</u>	L27 and (second\$ near5 line\$) near4 (stor\$ or sav\$) near5 total\$ near4 data\$	0	<u>L28</u>
<u>L27</u>	L26 and (partition\$ Or fragment\$ or divid\$) near8 (program\$ Or software\$ or code\$)	4	<u>L27</u>
<u>L26</u>	(first\$ near4 line\$) near5 (stor\$ near4 referenc\$)	129	<u>L26</u>
<u>L25</u>	L24 and call\$ and (store\$ or sav\$) near9 total\$	0	<u>L25</u>
<u>L24</u>	L23 and l3	2	<u>L24</u>
<i>DB=USPT,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L23</u>	717/140,107,130,133,168.ccls.	931	<u>L23</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L22</u>	717/140,107,130,133.ccls.	669	<u>L22</u>
<i>DB=TDBD; PLUR=YES; OP=ADJ</i>			
<u>L21</u>	L17	0	<u>L21</u>

DB=DWPI; PLUR=YES; OP=ADJ

L20 L17 0 L20

DB=JPAB; PLUR=YES; OP=ADJ

L19 L17 0 L19

DB=EPAB; PLUR=YES; OP=ADJ

L18 L17 0 L18

L17 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and
(insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4
source\$) 0 L17

DB=PGPB; PLUR=YES; OP=ADJ

L16 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and
(insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4
source\$) 2 L16

DB=USPT; PLUR=YES; OP=ADJ

L15 L14 and (call\$ or invok\$) near4 (sub\$ or part\$ or fragment\$ or module\$) 3 L15

L14 L13 and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter)
near4 source\$) 30 L14

L13 (partitin\$ Or divi\$ or separat\$ or fragmen\$) near4 (program\$ Or software\$ Or
code\$) 64469 L13

L12 L3 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4
(receiv\$ or transfe\$) 1 L12

L11 L10 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4
(receiv\$ or transfe\$) 0 L11

L10 L9 and (call\$ near4 (sub\$ or fragment\$ or part\$ or modul\$)) 10 L10

L9 L8 and (store\$ or sav\$) near4 (module\$ or sub\$ or code\$) 10 L9

L8 L7 and (call\$ or invok\$) 11 L8

L7 L6 and insert\$ 11 L7

L6 L5 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$ 12 L6

L5 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) 142 L5

L4 L3 and (referenc\$ or pointer\$) near4 (call\$ or invok\$) near4 (sub\$ or part\$) 2 L4

L3 L2 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$ 49 L3

L2 L1 and automatic\$ near4 (determin\$ or locat\$) 270 L2

L1 partition\$ near4 (program\$ or software\$ Or code\$) 4512 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L8 and L1	3

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L12

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, February 17, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L12</u>	l8 and l1	3	<u>L12</u>
<u>L11</u>	l8 and l2	0	<u>L11</u>
<u>L10</u>	l8 and l7	5	<u>L10</u>
<u>L9</u>	L8 and l6	5	<u>L9</u>
<u>L8</u>	L7 and (insert\$ near4 modif\$) near4 (program\$ or code\$)	5	<u>L8</u>
<u>L7</u>	L6 and (subprogram\$ or module\$) near4 call\$	322	<u>L7</u>
<u>L6</u>	partition\$ NEAR7 (PROGRAM\$ oR CODE\$ OR SOFTWARE) AND (DISTRIBUT\$ OR TRANSFER\$)	3751	<u>L6</u>
<u>L5</u>	PARTITIN\$ NEAR7 (PROGRAM\$ oR CODE\$ OR SOFTWARE) AND (DISTRIBUT\$ OR TRANSFER\$)	0	<u>L5</u>
<u>L4</u>	719/315.CCLS.	644	<u>L4</u>
<u>L3</u>	718/106.CCLS.	380	<u>L3</u>
<u>L2</u>	709/201,245,246,232.CCLS.	3460	<u>L2</u>

Refine Search

Search Results -

Terms	Documents
L24 and call\$ and (store\$ or sav\$) near9 total\$	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L25

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, February 17, 2006 [Printable Copy](#) [Create Case](#)

Set
Name Query
 side by
 side

Hit
Count Set
 Name
 result
 set

DB=USPT; PLUR=YES; OP=ADJ

L25 L24 and call\$ and (store\$ or sav\$) near9 total\$

0 L25

L24 L23 and l3

2 L24

DB=USPT,TDBD; PLUR=YES; OP=ADJ

L23 717/140,107,130,133,168.ccls.

931 L23

DB=USPT; PLUR=YES; OP=ADJ

L22 717/140,107,130,133.ccls.

669 L22

DB=TDBD; PLUR=YES; OP=ADJ

L21 L17

0 L21

DB=DWPI; PLUR=YES; OP=ADJ

L20 L17

0 L20

DB=JPAB; PLUR=YES; OP=ADJ

L19 L17

0 L19

DB=EPAB; PLUR=YES; OP=ADJ

<u>L18</u>	L17	0	<u>L18</u>
<u>L17</u>	automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$)	0	<u>L17</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L16</u>	automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$)	2	<u>L16</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L15</u>	L14 and (call\$ or invok\$) near4 (sub\$ or part\$ or fragment\$ or module\$)	3	<u>L15</u>
<u>L14</u>	L13 and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$)	30	<u>L14</u>
<u>L13</u>	(partitin\$ Or divi\$ or separat\$ or fragmen\$) near4 (program\$ Or software\$ Or code\$)	64469	<u>L13</u>
<u>L12</u>	l3 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4 (receiv\$ or transfe\$)	1	<u>L12</u>
<u>L11</u>	L10 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4 (receiv\$ or transfe\$)	0	<u>L11</u>
<u>L10</u>	L9 and (call\$ near4 (sub\$ or fragment\$ or part\$ or modul\$))	10	<u>L10</u>
<u>L9</u>	L8 and (store\$ or sav\$) near4 (module\$ or sub\$ or code\$)	10	<u>L9</u>
<u>L8</u>	L7 and (call\$ or invok\$)	11	<u>L8</u>
<u>L7</u>	L6 and insert\$	11	<u>L7</u>
<u>L6</u>	L5 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$	12	<u>L6</u>
<u>L5</u>	automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$)	142	<u>L5</u>
<u>L4</u>	L3 and (referenc\$ or pointer\$) near4 (call\$ or invok\$) near4 (sub\$ or part\$)	2	<u>L4</u>
<u>L3</u>	L2 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$	49	<u>L3</u>
<u>L2</u>	L1 and automatic\$ near4 (determin\$ or locat\$)	270	<u>L2</u>
<u>L1</u>	partition\$ near4 (program\$ or software\$ Or code\$)	4512	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L27 and (second\$ near5 line\$) near4 (stor\$ or sav\$) near5 total\$ near4 data\$	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L28

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, February 17, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L28</u>	L27 and (second\$ near5 line\$) near4 (stor\$ or sav\$) near5 total\$ near4 data\$	0	<u>L28</u>
<u>L27</u>	L26 and (partition\$ Or fragment\$ or divid\$) near8 (program\$ Or software\$ or code\$)	4	<u>L27</u>
<u>L26</u>	(first\$ near4 line\$) near5 (stor\$ near4 referenc\$)	129	<u>L26</u>
<u>L25</u>	L24 and call\$ and (store\$ or sav\$) near9 total\$	0	<u>L25</u>
<u>L24</u>	L23 and l3	2	<u>L24</u>
<i>DB=USPT,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L23</u>	717/140,107,130,133,168.ccls.	931	<u>L23</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L22</u>	717/140,107,130,133.ccls.	669	<u>L22</u>

DB=TDBD; PLUR=YES; OP=ADJ

L21 L17 0 L21

DB=DWPI; PLUR=YES; OP=ADJ

L20 L17 0 L20

DB=JPAB; PLUR=YES; OP=ADJ

L19 L17 0 L19

DB=EPAB; PLUR=YES; OP=ADJ

L18 L17 0 L18

L17 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and
(insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4
source\$) 0 L17

DB=PGPB; PLUR=YES; OP=ADJ

L16 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) and
(insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4
source\$) 2 L16

DB=USPT; PLUR=YES; OP=ADJ

L15 L14 and (call\$ or invok\$) near4 (sub\$ or part\$ or fragment\$ or module\$) 3 L15

L14 L13 and (insert\$ near4 (updat\$ or modif\$ or upgrad\$ or chang\$ or alter)
near4 source\$) 30 L14

L13 (partitin\$ Or divi\$ or separat\$ or fragmen\$) near4 (program\$ Or software\$ Or
code\$) 64469 L13

L12 l3 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4
(receiv\$ or transfe\$) 1 L12

L11 L10 and (stor\$ or sav\$) near4 (total\$ or entir\$ Or full\$ or complete\$) near4
(receiv\$ or transfe\$) 0 L11

L10 l9 and (call\$ near4 (sub\$ or fragment\$ or part\$ or modul\$)) 10 L10

L9 L8 and (store\$ or sav\$) near4 (module\$ or sub\$ or code\$) 10 L9

L8 L7 and (call\$ or invok\$) 11 L8

L7 L6 and insert\$ 11 L7

L6 L5 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$ 12 L6

L5 automat\$ near8 partition\$ near4 (program\$ or software\$ Or code\$) 142 L5

L4 L3 and (referenc\$ or pointer\$) near4 (call\$ or invok\$) near4 (sub\$ or part\$) 2 L4

L3 L2 and (updat\$ or modif\$ or upgrad\$ or chang\$ or alter) near4 source\$ 49 L3

L2 L1 and automatic\$ near4 (determin\$ or locat\$) 270 L2

L1 partition\$ near4 (program\$ or software\$ Or code\$) 4512 L1

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

partition and computer program and subprogram and execute and distribute and compile and modify
Four
99,9!

171,14

Sort results
by

[Save results to a Binder](#)
[Try an Advanced Search](#)
Display
results

[Search Tips](#)
[Try this search in The ACM Guide](#)

[Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**
Publisher: IBM PressFull text available: [pdf\(4.21 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [An implementation supporting distributed execution of partitioned ada programs](#)

R. Jha, G. Eisenhauer, J. M. Kamrad, D. Cornhill

January 1989 **ACM SIGAda Ada Letters**, Volume IX Issue 1**Publisher:** ACM PressFull text available: [pdf\(823.78 KB\)](#)Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This paper describes the implementation of a novel paradigm for building distributed application software in Ada. The entire application is written as a single program, which is partitioned for distributed execution *after* its design. The partitioning is expressed in a separate notation called the Ada Program Partitioning Language (APPL). A modified compilation system accepts an Ada program and an APPL specification for it as input, to produce a separate executable image for each node. The ...

3 [Secure program partitioning](#)

Steve Zdancewic, Lantian Zheng, Nathaniel Nystrom, Andrew C. Myers

August 2002 **ACM Transactions on Computer Systems (TOCS)**, Volume 20 Issue 3**Publisher:** ACM PressFull text available: [pdf\(497.12 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents secure program partitioning, a language-based technique for protecting confidential data during computation in distributed systems containing mutually untrusted hosts. Confidentiality and integrity policies can be expressed by annotating programs with security types that constrain information flow; these programs can then be partitioned


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

partition and program and insert and call and store and refere


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

partition and **program** and **insert** and **call** and **store** and **reference**

Found 102,786 of 171,143

Sort results by

☒ [Save results to a Binder](#)
[Try an Advanced Search](#)

Display results

☒ [Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

Full text available: [pdf\(4.21 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [Query evaluation techniques for large databases](#)

Goetz Graefe

June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Publisher: ACM Press

Full text available: [pdf\(9.37 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality

3 [Ownership confinement ensures representation independence for object-oriented programs](#)

Anindya Banerjee, David A. Naumann



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(partition and code<in>metadata)"

Your search matched 11171 of 1318251 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Other Resources

(Available For Purchase)

Top Book Results

[Additive Cellular Automata](#)

by Chaudhuri, P. P.; Chowdhury, D. R.; Nandi, S.; Chattopadhyay, S.;

Paperback, Edition: 1

[View All 1 Result\(s\)](#) [view selected items](#)[Select All](#) [Deselect All](#)View: [1-25](#) | [26-5](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ 1. **Generalized block space-time trellis codes: set-partitioning and code des**
Janani, M.; Nosratinia, A.;
[Wireless Communications and Networking Conference, 2005 IEEE](#)
Volume 1, 13-17 March 2005 Page(s):461 - 465 Vol. 1
Digital Object Identifier 10.1109/WCNC.2005.1424544
[AbstractPlus](#) | [Full Text: PDF\(1785 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ 2. **Super-orthogonal space-time trellis codes**
Jafarkhani, H.; Seshadri, N.;
[Information Theory, IEEE Transactions on](#)
Volume 49, Issue 4, April 2003 Page(s):937 - 950
Digital Object Identifier 10.1109/TIT.2003.809607
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(710 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ 3. **Geometrically uniform codes**
Forney, G.D., Jr.;
[Information Theory, IEEE Transactions on](#)
Volume 37, Issue 5, Sept. 1991 Page(s):1241 - 1260
Digital Object Identifier 10.1109/18.133243
[AbstractPlus](#) | [Full Text: PDF\(1844 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ 4. **Lossless and near-lossless source coding for multiple access networks**
Qian Zhao; Effros, M.;
[Information Theory, IEEE Transactions on](#)
Volume 49, Issue 1, Jan. 2003 Page(s):112 - 128
Digital Object Identifier 10.1109/TIT.2002.806145
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1278 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ 5. **Sphere-bound-achieving coset codes and multilevel coset codes**
Forney, G.D., Jr.; Trott, M.D.; Sae-Young Chung;
[Information Theory, IEEE Transactions on](#)
Volume 46, Issue 3, May 2000 Page(s):820 - 850
Digital Object Identifier 10.1109/18.841165


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(partition and code and insert and modify and source<in>metadata)"

☒ e-mail

Your search matched 250 of 1318251 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)
View: [1-25](#) | [26-5](#)

- ☐ **1. Compiling for distributed-memory systems**
 Zima, H.P.; Chapman, B.M.;
[Proceedings of the IEEE](#)
 Volume 81, Issue 2, Feb. 1993 Page(s):264 - 287
 Digital Object Identifier 10.1109/5.214550
[AbstractPlus](#) | Full Text: [PDF](#)(2072 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **2. Joint source-channel error detection with standard compatibility for wirel transmission**
 Martini, M.G.; Chiani, M.;
[Wireless Communications and Networking Conference, 2002. WCNC2002. 2002](#)
 Volume 1, 17-21 March 2002 Page(s):215 - 219 vol.1
 Digital Object Identifier 10.1109/WCNC.2002.993493
[AbstractPlus](#) | Full Text: [PDF](#)(327 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **3. A compiler-based approach for dynamically managing scratch-pad memc embedded systems**
 Kandemir, M.; Ramanujam, J.; Irwin, M.J.; Vijaykrishnan, N.; Kadayif, I.; Parikh
[Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction](#)
 Volume 23, Issue 2, Feb. 2004 Page(s):243 - 260
 Digital Object Identifier 10.1109/TCAD.2003.822123
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(840 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **4. Recovery of PTUIE handling from source codes through recognizing its p properties**
 Tan, H.B.K.; Thein, N.L.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
 Volume 16, Issue 10, Oct. 2004 Page(s):1217 - 1231
 Digital Object Identifier 10.1109/TKDE.2004.62
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1096 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **5. Architectures and technologies for high-speed optical data networks**
 Chan, V.W.S.; Hall, K.L.; Modiano, E.; Rauschenbach, K.A.;
[Lightwave Technology, Journal of](#)